



NEU

NEW

**Frässhneidplatte
Typ 932**

- 9 Schneiden
- 50 % mehr Zerspanleistung

**Milling insert
Type 932**

- 9 cutting edges
- 50 % more cutting efficiency

TECHNOLOGIEVORSPRUNG IST HORN
HORN - EXCELLENCE IN TECHNOLOGY



Frässhneidplatte Typ 932

Zusätzlich zu den 3- und 6-schneidigen Fräsplatten ist mit dem Plattentyp 932 eine 9-schneidige Fräsplatte mit Fräsbreiten 2 bis 4 mm ab Lager erhältlich. Sowohl bei der Schneidplattenaufnahme wie auch bei den lieferbaren Hartmetallsorte AS45 setzen wir auf Bewährtes. Der neue 9-Schneider lässt sich auf allen Fräseschäften des Typs M332 problemlos einsetzen.

Milling insert Type 932

In addition to milling inserts with 3 and 6 cutting edges an insert with 9 cutting edges is available from stock. The cutting widths are from 2 mm up to 4 mm. We built on a proven seating as well as the available carbide grade AS45. The new insert with 9 cutting edges is for use with all types of milling shank M332.



NUTFRÄSEN (Zirkular)


GROOVE MILLING by circular interpolation



SCHNEIDPLATTE Typ

INSERT Type

932



Nuttiefe bis	Depth of groove up to	8,3 mm
Nutbreite	Width of groove	2,0 - 4,0 mm
Schneidkreis-Ø	Cutting edge Ø	Ds 31,7 mm

für Frälerschaft
for use with Milling shank

Typ M332
Type




Abbildung = rechtsschneidend
Picture = right hand cutting version

Bestellnummer Part number	w	r	s	t _{max}	Ds	MG12	AS45
932.0200.00	2,0						▲
932.0250.00	2,5						▲
932.0300.00	3,0	0,2	6,1	8,3	31,7		▲
932.0400.00	4,0						▲

- ▲ ab Lager / on stock Δ 4 Wochen / 4 weeks
- Haupteinsatzbereich / main recommendation
- bedingt einsetzbar / alternative recommendation
- unbeschichtete HM-Sorten / uncoated grades
- beschichtete HM-Sorten / coated grades
- bestückt/Cermet / brazed/Cermet

P	●
M	●
K	●
N	○
S	●
H	

Abmessungen in mm
Dimensions in mm

HM-Sorten
Carbide grades



Deutschland / Germany
Hartmetall Werkzeugfabrik
Paul HORN GmbH
 Unter dem Holz 33-35, D-72072 Tübingen
 Tel +49 (0)7071/70040, Fax +49 (0)7071/72893
 E-Mail info@phorn.de, www.phorn.de

Großbritannien / UK and Ireland
HORN CUTTING TOOLS Ltd.
 32 New Street, Ringwood, Hampshire,
 BH24 3AD, Tel +44 (0)1425/481 800
 Fax +44 (0)1425/481 888
 E-Mail info@phorn.co.uk, www.phorn.co.uk

Frankreich / France
HORN S.A.S
 665, av. Blaise Pascal, Zone Industrielle,
 77127 Lieusaint
 Tel +33 (0)1648859-58, Fax +33 (0)1648860-49
 E-Mail infos@horn.fr, www.horn.fr

USA
HORN USA, Inc.
 320 Premier Court, Suite 205, Franklin,
 TN 37067
 Tel +1 (888)818-HORN, Fax +1(615)771-4101
 E-Mail sales@hornusa.com, www.hornusa.com

Ungarn / Hungary
HORN Magyarország Kft.
 H-9027 Győr, Gesztenyefa u. 4
 Tel +36 96 55 05 31, Fax +36 96 55 05 32
 E-Mail technik@phorn.hu, www.phorn.hu

China
HORN (Shanghai) Trading Co. Ltd.
 Room 905, No. 518 Anyuan Road, P.R. of China
 Putuo District, Shanghai 200060
 上海市安远路518号905室 邮编 : 200060
 Tel : +86 21 52833505 ; 52833205
 Fax : +86 21 52832562
 E-Mail: info@phorn.cn, www.phorn.cn



BLUECOMPETENCE
 Alliance Member

Partner of the Engineering Industry
 Sustainability Initiative

TECHNOLOGIEVORSPRUNG IST HORN
 HORN - EXCELLENCE IN TECHNOLOGY

